
EP-Launch Light Documentation

Release 0.1

Edwin Lee, NREL, DOE

September 19, 2016

1	EnergyPlusPath Class	3
2	EnergyPlusThread Class	5
3	FileTypes Class	7
4	EPLaunchLightWindow Class	9
5	Indices and tables	11
	Python Module Index	13

Contents:

EnergyPlusPath Class

class EnergyPlusPath.**EnergyPlusPath**

Bases: object

This class provides static helpers for moving between EnergyPlus install paths and version numbers

Note that this class holds no instance data.

static **get_latest_eplus_version** ()

static **get_path_from_version_number** (version)

static **get_version_number_from_path** (path)

This function takes a Mac EnergyPlus installation path, and returns just the version number portion

- path: An installation path on Mac, following the form: ‘/Applications/EnergyPlus-?-?-?’
- Returns: Just the version number suffix, in the form: ‘?-?-?’

EnergyPlusThread Class

```
class EnergyPlusThread.EnergyPlusThread(run_script, input_file, weather_file, msg_callback,  
                                         success_callback, failure_callback, can-  
                                         celled_callback)  
  
    Bases: threading.Thread  
  
    static get_ep_version (run_script)  
  
    run ()  
  
    stop ()
```

FileTypes Class

EPLaunchLightWindow Class

Indices and tables

- `genindex`
- `modindex`
- `search`

e

EnergyPlusPath, 3
EnergyPlusThread, 5

E

EnergyPlusPath (class in EnergyPlusPath), 3

EnergyPlusPath (module), 3

EnergyPlusThread (class in EnergyPlusThread), 5

EnergyPlusThread (module), 5

G

get_ep_version() (EnergyPlusThread.EnergyPlusThread
static method), 5

get_latest_eplus_version() (EnergyPlus-
Path.EnergyPlusPath static method), 3

get_path_from_version_number() (EnergyPlus-
Path.EnergyPlusPath static method), 3

get_version_number_from_path() (EnergyPlus-
Path.EnergyPlusPath static method), 3

R

run() (EnergyPlusThread.EnergyPlusThread method), 5

S

stop() (EnergyPlusThread.EnergyPlusThread method), 5